

The **New** traditional rope





CORDEXAQUA combines last generation technologies, first grade raw materials and our staff's experience and ability.

	Aquacord Rope							
Ømm	ØInches	3 Strands CRL (kg)	4 Strands CRL (kg)	g/m	Tolerances			
30	1 3/16	9.214	8.296	451	5%			
32	1 1/4	10.408	9.367	513				
34	1 11/32	11.735	10.551	581				
36	1 13/32	13.065	11.735	649				
38	1 1/2	14.541	13.061	726				
40	1 9/16	16.02	14.388	802				
42	1 21/32	17.602	15.816	886				
44	1 23/32	19.184	17.245	970				
46	1 13/16	20.918	18.827	1.06				
48	1 14/16	22.653	20.408	1.15				
50	1 31/32	24.541	22.092	1.25				
52	2 1/16	26.429	23.776	1.35				

Aquacord Leaded Rope

	Ømm	ØInches	Nº Strands	Meters/Coil	Weight/Coil (kg)	Tolerances
	36	1 13/32	4	200	160	5%
I	38	1 1/2			180	
	40	1 9/16			200	
ı	42	1 21/32			220	
	44	1 23/32			240	
	46	1 13/16			260	
	48	1 14/16			280	

Your satisfaction is our "number 1" goal!

The result is CORDEXAQUA a line of twisted and braided ropes/twines up to date manufactured for professional fishing, aquaculture industry and marine crafts under traditional processes guaranteeing the excellence of the products and customer's tailor made solutions.





Technical ropes of sizes above 30mm, leaded and unleaded for use in all fishing arts.

Great resistance, balance and durability in order to have the best performance in the market for the end users.

Available in a wide variety of colours.

Used on: Professional fishing, Aquaculture and Marine.

cordexaqua.cordex.com

www.facebook.com/cordexaqua





